

PRE-PROCEDURE ADVICE FOR BROWS

- Cosmetic Brow Tattooing (Microblading, Powder Brow, Combo Brow, Nano Brow) procedures may require multiple treatment sessions.
- For the best results, clients will be required to return for at least one re-touch appointment. This will take place anywhere between 6–8 weeks after the initial procedure.
- Although a numbing cream and gel is used during the procedure, slight sensitivity/discomfort may still be felt.
- Delicate or sensitive skin may be red and/or swollen after the procedure.
- Please avoid the following for at least 48 hours prior to your appointment: **Alcohol, Caffein, Energy, Drinks, Ibuprofe, Niacin, Aspirin, Vitamin E, Exfoliating and/or Microdermabrasion Facial Scrub. Please discontinue the use of Omega3/Fish Oil at least one week prior to your cosmetic tattoo session.**
- Chemical/Laser Peel or Retin-A should not be utilized for 2-4 weeks prior to your procedure.
- AHA's, Glycolic Acid, or Salicylic Acid should not be utilized (in/on the brow area for 2 weeks prior to your procedure.
- Any waxing, tweezing, laser hair removal, electrolysis or eyebrow tinting should be done at least 2 weeks prior to your cosmetic tattoo session.
- Do not work out or sweat heavily the day of the procedure and for 5-7 days after.
- Do not tan or have intense sun exposure 3 days prior to your cosmetic tattoo session.

Topical Anesthetic Advice

Allergic Reaction:

Topical Anesthetic Advice

This can occur from any anesthetics used during the procedure. If you do suffer from an allergic reaction, you should contact your doctor immediately. Allergic reaction response may show through as redness, swelling, rash, blistering, dryness or any other symptoms associated with an allergic reaction.

Numbness:

We cannot accept responsibility if the area to be treated does not respond to the numbing cream. Each individual is different according to skin types. Some clients report the area to be completely numb, while others may experience some discomfort.

Procedure:

For all services, numbing cream and gel is used. The products are formulated to be perfectly safe and can be purchased over the counter from any pharmacy or store. The anesthetic is placed over the treatment area for 20-25 minutes and is carefully removed prior to treatment. As a result of the treatment, combined with the use of the anesthetics, you can expect to experience some redness and/or swelling that may last for 1-4 days.

You should always follow your aftercare for the best results